Material Safety Data Sheet

Original Date: 04/25/2006

ADNVT Biotechnologies 2102 West Quail Ave Suite 3 Phoenix, Arizona 85027 Tel: 1-888-223-3269 Fax: 623-879-9697

Emergency Phone #: (602) 803-1535

SECTION 1-Product Information

BADD Anthrax Test Device Product ID: ANTH-E500-4 Common Name: BADD[™] Rapid Diagnostic Test for detecting anthrax spores

SECTION 2- Ingredients

Contains:

- 1. Composition: Each test strip contains:
- a. Polyclonal Anti-Bacillus anthracis <1 ugm
- b. Dyed colloidal gold particles <1 ugm
- c. Control antibody < 1 ugm
- d. Buffers, blockers pH 8
- e. Nitrocellulose membrane 5 mm x 25 mm
- 2. Diluent: Using approximately 0.36 mL per test, contains:
- a. Proprietary surfactants: 0 ugm
- b. Proprietary blocking materials < 100 ugm
- c. Buffers pH 7.4
- d. Sodium chloride <100 ugm
- e. Sodium azide: < 0.1 ugm
- e. Water ultra pure

SECTION 3- Hazards Identification

Emergency Overview

The materials comprising the device and diluent pose little or no immediate health hazards. The small quantity of nitrocellulose membrane and diluent pose little hazard in their completed form.

HMIS/NFPA Rating

Health: 1 Flammability: 1 Reactivity: 1

Health Hazards

Mild eye irritant. Mild respiratory irritant Target Organs None known

Signs and symptoms of exposure Contact with eyes may cause mild irritation and discomfort. Inhalation of vapors may cause irritation in the respiratory tract.

Signs and symptoms of exposure No known effects Medical Conditions Generally Aggravated by Exposure None known. Carcinogens under OSHA, ACGIH, NTP, IARC, OTHER This product contains no carcinogens in concentrations greater than 0.1%.

SECTION 4- First AID Measures

Oral Exposure

If swallowed, call a physician immediately. Remove stomach contents by gastric suction or induce vomiting only as directed by medical personnel. Never give anything by mouth to an unconscious person. Immediately rinse mouth with water and get medical attention.

Inhalation Exposure

Move patient to fresh air. If breathing has stopped or is labored; give assisted respiration (e.g. mouth-to-mouth). Supplemental oxygen may be indicated. Prevent aspiration of vomit. Turn victim's head to the side. Seek medical advice.

Dermal Exposure Wash affected area with soap and water.

SECTION 5-Fire Fighting Measures

Flash Point: No data

EXTINGUISHING MEDIA:

Use CO2 or dry chemical extinguishing media. FIRE FIGHTING PROCEDURES: Firefighters should be equipped with self-contained breathing apparatus and turn out gear.

UNUSUAL HAZARDS: No know hazards.

SECTION 6- Accidental Release Measures

Procedure to be followed in case of leak or spill of diluent solution Wearing gloves, soak up material with a paper towel or other absorbent material and dispose of according to state and federal regulations. Wipe area off with water.

SECTION 7- Handling and storage

Handling

Avoid contact with skin. Do not get in eyes, skin or on clothing. Avoid repeated or prolonged exposure.

Storage

Store in a cool dry place. Avoid freezing. Avoid temperature above 120oF.

SECTION 9- Reactivity Data

Stability Data: Stable Incompatibility: Strong oxidizers Conditions to Avoid: None known Hazardous Decomposition/polymerization: None known Corrosive Properties: None known Oxidizer Properties: None known Other Reactivity Data: None known

SECTION 10- Personal Protection

While nothing more than gloves are needed to handle the BADD device, appropriate safety equipment/PPE should be employed when responding to a potentially hazardous event, including: Clothing: Appropriate gear for chemical and biologic weapon material including gloves and appropriate protective clothing.

Eye: Wear appropriate full-face shield for bio-chemical hazards. Respiration: Wear RACAL or SCUBA gear.

SECTION 11- Transportation Information

DOT Proper Shipping Name: N/A DOT Technical Name: N/A DOT Primary Hazard Class: N/A DOT

Secondary Hazard Class: N/A DOT Label Required: N/A DOT Placard Required: N/A DOT Poison

Constituent: N/A Bill of Lading Description: NOT REGULATED BY THE DOT

*Important: While the descriptions, designs, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Since many factors may affect processing or application/use, we recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties or merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth, or that the products, designs, data, or information set forth, or that the products, designs, data or information may be used without infringing the intellectual property rights of others. In no case shall the descriptions, information, data or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, data, and information furnished by ADVNT are given gratis and ADVNT assumes no obligation or liability for the description, designs, data and information given or results obtained. All such being given and accepted at your risk. END OF DATA SHEET