| HAZTE | CCH [®] Material | Safety Data | a Sheet | Page 1 of 4 |
|------------------|---|------------------------------|------------|--|
| SYSTEM | MS, NFPA | HMIS | | PPE (See Section 15) |
| INC | | Health Hazard Fire Hazard | 2 | |
| | | Reactivity | 1 | |
| | | | | |
| Section 1. Cher | nical Product and Company Ide | ntification | | |
| Trade Name | Ephedrine Test 3 (Me | th Kit only) | Part # | RE2078 |
| | | | CAS # | 5968-11-6 |
| Manufacturer | Haztech Systems, Inc. PO Box 929 | | RTECS | VZ4050000 |
| | Mariposa, CA 95338 | | TSCA | TSCA 8(b) inventory: Sodium carbonate monohydrate |
| Commercial Name | Sodium carbonate monohydrate | | | |
| Synonyms | | | CI # | |
| | | | | mergency contact CHEMTREC at 800-424-9300 |
| | | | HazTech Sy | vstems, Inc. 800-543-5487 |
| Chemical Formula | Na2CO3.H20 | | | |
| Supplier | Spectrum Chemical Mfg. Corp 14422 S. San Pedro St. | ρ. | spectrum C | Chemical Mfg. Corp. 310-516-8000 |
| | Gardena, CA 90248 | | | |

Material Safety Data Sheet

Section 2. Composition and Information on Ingredients

| | | Expc | osure Limits | | |
|------------------------------|-----------|-------------|--------------|--------------|-------------|
| Name | CAS # | TWA (mg/m3) | STEL | CEIL (mg/m3) | % by Weight |
| Sodium carbonate monohydrate | 5968-11-6 | | | | 100% |

Toxicological Sodium carbonate monohydrate: Data on ORAL (LD50): Acute: 4090 mg/kg (Rat). Ingredients DUST (LC50): Acute: 9200 ppm 4 hours (Rat).

Section 3. Hazards Identification

| Potential Acute Health Effects | Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (irritant). Corrosive to eyes and skin. The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, choking, unconsciousness or death. |
|-------------------------------------|---|
| Potential Chronic Health Effects | CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage. |

| Ephedrine Test 3 | Page 2 of 4 |
|--------------------|--|
| Section 4. First A | id Mearsures |
| Eye Contact | Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention. |
| Skin Contact | If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as the hands : Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. If irritation persists, seek medical attention. Wash contaminated clothing before reusing. |
| Inhalation | Allow the victim to rest in a well ventilated area. Seek immediate medical attention. |
| Ingestion | Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention. |

Section 5. Fire and Explosion Data

| Flammability | Non-flammable. |
|--|---|
| Auto-Ignition Temperature | Not applicable. |
| Flash Point | Not applicable. |
| Flammable Limits | Not applicable. |
| Products of Combustion | Not applicable. |
| Fire Hazards in Presence of Various Substances | Not applicable. |
| Explosion Hazards in Presence of Various Substances | Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. |
| Fire Fighting Media and Instructions | Not applicable. |
| Special Remarks on Fire Hazards | Not applicable. |

| Section 6. Ac | Section 6. Accidental Release Measures | | | |
|--|---|--|--|--|
| 1 | Jse appropriate tools to put the spilled solid in a convenient waste disposal container. If necessary: Neutralize ne residue with a dilute solution of acetic acid. | | | |
| Section 7. Ha | andling and Storage | | | |
| Precautions If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes | | | | |
| Storage] | Keep in HazCat Kit. | | | |
| Section 8. Ex | posure Controls/Personal Protection | | | |
| Engineering Cont | trols Use in a well ventilated area. | | | |
| Personal Protectio | on Gloves and goggles. | | | |

Page 3 of 4

| Section 9. Physical and C | hemical Properties | | | | |
|--|---|--|-----------|---------------------------------|-------------------------------------|
| Physical State and Appearance | Solid | | Volatili | ty | Not available |
| Molecular Weight | 124 g/mole | | Odor T | Threshold | Not available |
| pH (1% Solution in Water) | 12 (Basic) | | Water/ | Oil Dist. Coeff. | Not available |
| Boiling Point | Decomposes. (50°C o | or 122°F) | Ionicity | v (in Water) | Not available |
| Melting Point | Decomposes. (50°C o | or 122°F) | Dispers | ion Properties | Not available |
| Critical Temperature | Not available | | Solubil | ity | Water |
| Specific Gravity | 2.25 (Water = 1) | | Odor | | Not available |
| Vapor Pressure | Not available | | Taste | | Not available |
| Vapor Density | Not available | | Color | | Not available |
| Section 10. Stability and | d Reactivity Data | | | | |
| Stability | Product is stable. | | | Corrosivity | Non-corrosive in presence of glass. |
| Instability Temperature | Not available. | | | Special Remar on Corrosivity | |
| Conditions of Instability | Not available. | | | Polymerizatior | |
| Incompatability with Various Substances | Slightly reactive to re with acids, moisture. | | | Torymenzation | i win not polymenze. |
| Section 11. Toxicological | Information | | | | |
| Route of Entry | | Absorbed throu | ugh skin. | Dermal contact. | Eye contact. Inhalation. Ingestion. |
| Toxicity to Animals | | | | 0): 4090 mg/kg | |
| Chroinc Effects on Humans | | Acute toxicity of the dust (LC50): 46658.5 mg/m3 4 hours (Rat). Not available. | | | |
| Other Toxic Effects on Humans | | Hazardous in case of ingestion, of inhalation. Slightly hazardous in case of skin contact (irritant). | | | |
| Special Remarks on Toxicity to A | Animals | Not available. | | | |
| Special Remarks on Chronic Effects on Humans | | Not available. | | | |
| Special Remarks on Other Toxic | Effects on Humans | Not available. | | | |
| Section 12. Ecological Information | | | | | |
| Ecotoxicity | | Not available. | | | |
| BOD5 and COD | | Not available. | | | |
| Products of Biodegradation | | Possibly hazardous short term degradation products are not likely. However, long term degradation products mayarise. | | | |
| Toxicity of the Products of Biodegradation | | The products of degradation are more toxic. | | | |
| Special Remarks on the Products | Not available. | | | | |

| Section 13. Disposal Considerations | | | |
|---------------------------------------|--|--|--|
| Waste Disposal | Recycle to process, if possible. Consult your local or regional authorities. | | |
| Section 14. Transport Information | | | |
| DOT Classification | Not a DOT controlled material. | | |
| Identification | Non-regulated. | | |
| Special Provisions I for Transport | Not applicable. | | |
| Section 15. Other R | egulatory Information and Pictograms | | |
| Federal and State Regulat | ions TSCA 8(b) inventory: Sodium carbonate monohydrate | | |
| California Proposition 65 Warnings | | | |
| Other Regulation | OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). | | |
| Other classifications | WHMIS (Canada) CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC). CLASS E: Corrosive solid. | | |
| | DSCL (EEC) R36- Irritating to eyes. | | |
| Section 16. Other In | nformation | | |
| Part Number(s) | RE2078 | | |
| References | Not available. | | |
| Other Special Considerat | ions Not available. | | |
| Validated by | R. Houghton 10/11/02 | | |
| Verified by | R. Turkington | | |
| Call 1 900 5/2 5/97 | | | |

Call 1-800-543-5487

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Haztech Systems, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.