



**NFPA HMIS** 



PPE (See Section 15)





Page 1 of 4

/(	)
$\langle 3 \rangle$	$\langle 2 \rangle$
$\times$	$\times$

Health Hazard	3
Fire Hazard	0
Reactivity	2

Section 1. Chemical Product and Company Identification

Trade Name Asbestos Test A5 Code RE2018

> (Concentrated Sulfuric Acid) CAS# 7664-93-9

Haztech Systems, Inc. Manufacturer **RTECS** WS5600000

PO Box 929

**TSCA** TSCA 8(b) inventory: Mariposa, CA 95338

Sulfuric acid

In case of emergency contact CHEMTREC

Commercial Name Sulfuric Acid

CI# Synonyms Hydrogen sulfate

(24 hours) at 800-424-9300 Chemical Formula H2SO4

HazTech Systems, Inc. 800-543-5487 Supplier Spectrum Chemical Mfg. Corp.

14422 S. San Pedro St.

Gardena, CA 90248

Spectrum Chemical Mfg. Corp. 310-516-8000

# Section 2. Composition and Information on Ingredients

Exposure Limits						
Name	CAS #	TWA (mg/m3)	STEL	CEIL (mg/m3)	% by Weight	
Sulfuric acid	7664-93-9	1	3		100%	

Toxicological Sulfuric acid:

Data on ORAL (LD50): Acute: 2140 mg/kg (Rat). Ingredients VAPOR (LC50): Acute: 255 ppm 4 hours (Rat).

#### Section 3. Hazards Identification

Potential Acute Health Effects

Extremely hazardous in case of skin contact (corrosive), of eye contact (irritant), of ingestion. Very hazardous in case of skin contact (irritant, permeator). Hazardous in case of inhalation. Slightly hazardous in case of skin contact (sensitizer). Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching.

Potential Chronic Health Effects

Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available.

The substance is toxic to lungs, mucous membranes.

Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Concentrated Sulfuric Acid Page 2 of 4

### Section 4. First Aid Mearsures

Eye Contact Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes,

keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible,

protecting your own hands and body. If the chemical got on the victim's exposed skin, such as the hands: Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Cold water may

be used. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Allow the victim to rest in a well ventilated area. Seek immediate medical attention. Inhalation

Ingestion Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible

indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth

resuscitation. Seek immediate medical attention.

## Section 5. Fire and Explosion Data

Flammability Non-flammable.

Auto-Ignition Temperature Not applicable.

Flash Point Not applicable.

Flammable Limits Not applicable.

Products of Combustion Not applicable.

Fire Hazards in Presence

of Various Substances

Not applicable.

Explosion Hazards in Presence

of Various Substances

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions

Not applicable.

Special Remarks on Fire Hazards Not applicable.

### Section 6. Accidental Release Measures

Small Spill Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal

container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate.

### Section 7. Handling and Storage

If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes Precautions

Storage Keep in HazCat Kit.

### Section 8. Exposure Controls/Personal Protection

**Engineering Controls** Use in a well ventilated area.

Personal Protection Gloves and goggles. Concentrated Sulfuric Acid Page 3 of 4

Section 9. Physical and Chemical Properties							
Physical State and Appearance	Liquid. (Thick oily liquid.)	Volatility	Not available				
Molecular Weight	98.08 g/mole	Odor Threshold	Not available				
pH (1% Solution in Water)	1 (Acidic)	Water/Oil Dist. Coef	Not available				
Boiling Point	290°C (554°F)	Ionicity (in Water)	Not available				
Melting Point	10.49°C (50.9°F)	Dispersion Properties	Not available				
Critical Temperature	Not available	Solubility	Easily soluble in water. Insoluble in methanol, diethyl ether.				
Specific Gravity	1.84 (Water = 1)	Odor	Sulfurous. (Slight.)				
Vapor Pressure	0.01 mm of Hg (@ 20°C)	Taste	Toxic by ingestion. (Strong.)				
Vapor Density	3.4 (Air = 1)	Color	Colorless.				
Section 10. Stability and Reactivity Data							
Stability	Product is stable.		Extremely corrosive in presence of copper.				
Instability Temperature	Not available.		Highly corrosive in presence of steel, of aluminum, of zinc.				
Conditions of Instability	Not available.		Reacts violently with water especially when water is added to the product.				
Incompatability with Various Substances	Highly reactive with metals, alkalis, moisture. Reactive with organic materials, acids.	·	Will not polymerize.				
Section 11. Toxicological Information							

Route of Entry Dermal contact. Eye contact. Inhalation. Ingestion. Not available.

Toxicity to Animals Acute oral toxicity (LD50): 2140 mg/kg (Rat).

Acute toxicity of the vapor (LC50): 255 ppm 4 hours (Rat).

Chroinc Effects on Humans The substance is toxic to lungs, mucous membranes.

The substance is not toxic to blood, kidneys, liver.

Other Toxic Effects on Humans Extremely hazardous in case of skin contact (corrosive), of ingestion.

Very hazardous in case of skin contact (irritant, permeator).

Hazardous in case of inhalation.

Slightly hazardous in case of skin contact (sensitizer).

Special Remarks on Toxicity to Animals

Special Remarks on Chronic Effects on Humans

Special Remarks on Other Toxic Effects on Humans

Not available. Not available.

# Section 12. Ecological Information

Ecotoxicity Not available.

BOD5 and COD Not available.

Products of Biodegradation Possibly hazardous short term degradation products are not likely. However,

long term degradation products mayarise.

Toxicity of the Products of Biodegradation The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation Not available.

Concentrated Sulfuric Acid Page 4 of 4

### Section 13. Disposal Considerations

Waste Disposal Recycle to process, if possible. Consult your local or regional authorities.

## Section 14. Transport Information

DOT Classification CLASS 8: Corrosive liquid.

Identification : Sulfuric acid : UN1830 PG: II

Special Provisions

Not applicable.

for Transport

# Section 15. Other Regulatory Information and Pictograms

Federal and State Regulations TSCA 8(b) inventory: Sulfuric acid

California Proposition 65 Warnings

Other Regulation OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other classifications WHMIS (Canada) CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC).

CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

CLASS E: Corrosive liquid.

DSCL (EEC) R35- Causes severe burns.

### Section 16. Other Information

Part Number(s) RE2030, RE2018

References Not available.

Other Special Considerations Not available.

Validated by R. Houghton 5/13/02

Verified by R. Turkington

Call 1-800-543-5487

#### Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Haztech Systems, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.