HAZTECH®	Material Safety Data Sheet		Material Safety Data Sheet Page 1 of 4	
SYSTEMS,	NFPA	HMIS	PPE (See Section 15)	
INC. TM	3 2	Health Hazard3Fire Hazard0Reactivity2		
Section 1. Chemical Pro	oduct and Company	y Identification		

Trade Name	Arsenic Test 4	Part #	RE2011
Manufacturer	Haztech Systems, Inc.	CAS #	7664-93-9
Wallulactulei	PO Box 929 Mariposa, CA 95338	RTECS	WS5600000
	-	TSCA	TSCA 8(b) inventory: Sulfuric acid
Commercial Name	Sulfuric acid		
Synonyms	Hydrogen sulfate, Sulfuric acid	CI #	
			mergency contact CHEMTREC at 800-424-9300
Chemical Formula	H2SO4	HazTech S	ystems, Inc. 800-543-5487
Supplier	Spectrum Chemical Mfg. Corp. 14422 S. San Pedro St. Gardena, CA 90248	Spectrum Chemical Mfg. Corp. 310-516-8000	

Section 2. Composition and Information on Ingredients

		Expo	osure Limits		
Name	CAS #	TWA (mg/m3)	STEL	CEIL (mg/m3)	% by Weight
Sulfuric acid	7664-93-9	1	3		100%
Trainducial Selfaria and ODAL (LD50). A serie 2140 and (LD50). A serie 255 and (LD50). A serie 255 and (LD50)					

Toxicological Sulfuric acid: ORAL (LD50): Acute: 2140 mg/kg (Rat). VAPOR (LC50): Acute: 255 ppm 4 hours (Rat). Data on Ingredients

Section 3. Hazards Identification

Potential Acute Health Effects	Extremely hazardous in case of skin contact (corrosive), of eye contact (irritant), of ingestion. Very hazardous in case of skin contact (irritant, permeator). Hazardous in case of inhalation. Slightly hazardous in case of skin contact (sensitizer). Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Arsenic Test 4	Page 2 of 4
Section 4. First	Aid Mearsures
Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.
Skin Contact	If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. If the chemical got on the victim's exposed skin, such as the hands : Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. If irritation persists, seek medical attention.
Inhalation	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.
Ingestion	Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Section 5. Fire and Explosion Data

Section 9. The and Explosion Data			
Flammability	Non-flammable.		
Auto-Ignition Temperature	Not applicable.		
Flash Point	Not applicable.		
Flammable Limits	Not applicable.		
Products of Combustion	Not applicable.		
Fire Hazards in Presence of Various Substances	Not applicable.		
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.		
Fire Fighting Media Not applicable. and Instructions			
Special Remarks on Fire Hazards Not applicable.			
Section 6. Accidental Release Measures			
Small Spill Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate.			
Section 7. Handling and Storage			
Precautions Keep container dry. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Never add water to this product. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes Keep away from incompatibles such as organic materials, metals, acids, alkalis, moisture.			
Storage Keep in HazCat Kit.			
Section 8. Exposure Controls/Personal Protection			
Engineering Controls Use in a well ventilated area.			
Personal Protection Gloves and goggles.			

Page 3 of 4

Section 9. Physical and C	hemical Properties				
Physical State and Appearance	Clear liquid	Volatili	ity	Not available	
Molecular Weight	98.08 g/mole	Odor 7	Threshold	Not available	
pH (1% Solution in Water)	1 (Acidic)	Water/	Oil Dist. Coeff.	Not available	
Boiling Point	Not available	Ionicit	y (in Water)	Not available	
Melting Point	Not available	Disper	sion Properties	Not available	
Critical Temperature	Not available	Solubil	ity	Easily soluble in cold water, hot water.	
Specific Gravity	Not available	Odor		Sulfurous. (Slight.)	
Vapor Pressure	Not available	Taste		Toxic by ingestion. (Strong.)	
Vapor Density	Not available	Color		Colorless	
Section 10. Stability and	d Reactivity Data				
Stability	Product is stable.		Corrosivity	Extremely corrosive in presence of copper. Highly corrosive in presence	
Instability Temperature	Not available.		Special Remark	of steel, of aluminum, of zinc.	
Conditions of Instability	Reagent turns yellow when no longer effective.		on Corrosivity		
Incompatability with	Highly reactive with metals, alka	lis moisture	Polymerization	Will not polymerize.	
Various Substances	Reactive with organic materials,		TOTYTHCHZacion	will not polymenize.	
various Substances					
	Slightly reactive to reactive with		ts,		
	reducing agents, combustible ma	iterials.			
Section 11. Toxicological	Information				
Route of Entry	Dermal c	ontact. Eye con	ntact. Inhalation.	Ingestion.	
Toxicity to Animals			50): 2140 mg/kg (
Chroinc Effects on Humans	Acute toxicity of the vapor (LC50): 255 ppm 4 hours (Rat). Extremely hazardous in case of skin contact (corrosive), of ingestion.				
Other Toxic Effects on Humans					
Special Remarks on Toxicity to A		Slightly hazardous in case of skin contact (sensitizer). Not available.			

Special Remarks on Toxicity to Animals Special Remarks on Chronic Effects on Humans Special Remarks on Other Toxic Effects on Humans

Г

Section 12. Ecological Information	
Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products mayarise.
Toxicity of the Products of Biodegradation	The products of degradation are more toxic.
Special Remarks on the Products of Biodegradation	Not available.
©2002 Haztech Systems, Inc., PO Box 929, Mariposa, CA 9533	38 (800) 51D-KITS FAX (209) 966-8089 www.hazcat.com

Not available.

Not available.

Section 13. Dispose	al Considerations		
Waste Disposal	Recycle to process, if possible. Consult your local or regional authorities.		
Section 14. Transpo	ort Information		
DOT Classification	CLASS 8: Corrosive liquid.		
Identification	Sulfuric acid, 8, UN2796, II		
Special Provisions for Transport	Not applicable.		
Section 15. Other l	Regulatory Information and Pictograms		
Federal and State Regula	tions TSCA 8(b) inventory: Sulfuric acid		
California Proposition 6	5 Warnings		
Other Regulation	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).		
Other classifications	WHMIS (Canada) CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC CLASS D-2A: Material causing other toxic effects (VERY TOXIC). CLASS E: Corrosive liquid.		
	DSCL (EEC) R35- Causes severe burns.		
Section 16. Other I	nformation		
Part Number(s)	RE2011		
References	Not available.		
Other Special Considerat	tions Not available.		
Validated by	R. Houghton 10/9/02		
Verified by	R. Turkington		
Call 1-800-543-5487			

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Haztech Systems, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.