



HazTech Systems, Inc.

SAFETY DATA SHEET

Revision number: 2
Revision date: 05/08/2015

1. IDENTIFICATION

Product name: Ammonium hydroxide, reagent, acs
Product code: RE2307
Synonyms: Aqueous Ammonia, Aqua ammonia, Ammonium Hydroxide with 27-31% Ammonia and 69-73% Water
CAS: 1336-21-6
RTECS # BQ9625000
CI#: Not available
Recommended use: Bleaching agent. In the manufacturer of textiles. Detergent.
Uses advised against: No information available

Company:

HazTech Systems, Inc.
3919 Bootjack Lane
Mariposa, CA 95338 U.S.A.
Telephone:
1-800-543-5487 / 1-209-966-8088
Fax:
1-209-966-8089
e-mail:
sales@hazcat.com
www.hazcat.com

Chemical Emergencies:

HazTech Systems, Inc. (8:00am - 5:00pm) PST
1-800-543-5487
Transportation Emergencies:
Chemtrec 24-Hour
1-800-424-9300 (U.S.A.)
1-703-527-3887 (International)

2. HAZARD(S) IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Skin corrosion/irritation	Category 1S sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

Danger

Hazard statements

Harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage
May cause respiratory irritation



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Very toxic to aquatic life with long lasting effects
Very toxic to aquatic life

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Do not breathe dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area

2. HAZARD(S) IDENTIFICATION

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth

Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	1336-21-6	100	*

4. FIRST AID MEASURES

First aid measures

General Advice:

Poison information centres in each State capital city can provide additional assistance for scheduled poisons (13 1126). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself.

Skin Contact:

Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician immediately.

Eye Contact:

Flush eye with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.

Inhalation:

Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. **WARNING!** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Call a physician immediately.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If victim is conscious, give water or milk. Immediate medical attention is required. Call a physician or Poison Control Centre immediately.

Most important symptoms and effects, both acute and delayed

Symptoms

Severe skin and eye irritation or burns. May cause inflammation and cause deep, penetrating ulcers of the skin, staining of the skin, and thickening of the skin. Causes digestive (gastrointestinal) tract irritation. May cause gastrointestinal (digestive) tract burns. Severe irritation of the upper respiratory tract. May cause chemical burns to the respiratory tract. May cause central nervous system effects. May affect the cardiovascular system.

Indication of any immediate medical attention and special treatment needed

Notes to Physician:

Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIREFIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:

The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

Unsuitable Extinguishing Media:

No information available.

5. FIREFIGHTING MEASURES

Specific hazards arising from the chemical

Hazardous Combustion Products:

ammonia; nitrogen oxides

Specific hazards:

No information available.

Special Protective Actions for Firefighters

Specific Methods:

No information available.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Personal precautions, protective equipment and emergency procedures

Personal Precautions:

Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth).

Methods for cleaning up

Dilute with water. Neutralize the with a dilute solution of acetic acid. Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Clean contaminated surface thoroughly.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Cleaning Up:

Absorb spill with inert material (e.g. vermiculite, dry sand or earth). Dilute with water. Neutralize the with a dilute solution of acetic acid. Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature in the original container. Keep at temperatures below 26 °C. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents. Acids. Metals. Powdered metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)] -	None	None	None	None

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Canada

Components	Alberta	British Columbia	Ontario	Quebec
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)] -	None	None	None	None

Australia and Mexico

Components	Australia	Mexico
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

- Eye protection:** Face-shield.
- Skin and body protection:** Chemical resistant protective suit. Gloves. boots.
- Respiratory protection:** Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
- Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid.	Appearance: No information available	Color: Clear. Colorless.
Odor: Strong. Ammonia.	Taste: acid.	Formula: NH ₄ OH
Molecular/Formula weight: 35.05	Flash point (°C): No data available	Flashpoint (°C/°F): No information available.
Flash Point Tested according to: Not available	Lower Explosion Limit (%): No information available	Upper Explosion Limit (%): No information available
Autoignition Temperature (°C/°F): No information available	pH: 11.6 - this is the actual pH in a 1 N solution	Melting point/range(°C/°F): -69.2 °C/-92.6 °F
Boiling point/range(°C/°F): 31-38 °C/87.8-100.4 °F	Decomposition temperature(°C/°F): No information available	Specific gravity: 0.898
Density (g/cm³): No information available	Bulk density: No information available	Vapor pressure @ 20°C (kPa): 287.9 @ 25 °C
Evaporation rate: No information available	Vapor density: No information available	VOC content (g/L): No information available
Odor threshold (ppm): 5-50 (as ammonia)	Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Miscibility: No information available		Solubility: Easily soluble in cold water

10. STABILITY AND REACTIVITY

Reactivity

Halogens, salts of silver and zinc, air and hydrocarbons, calcium, 1-chloro-2,4-dinitrobenzene, chloroformamidinium nitrate, 2-chloronitrobenzene, chlorine azide, magnesium perchlorate, halogens or interhalogens, iodine, potassium, nitrogen trichloride, potassium chlorate, nitryl chloride, chromyl chloride, chromium trioxide, trioxygen difluoride, selenium difluoride dioxide, nitric acid, hydrogen peroxide, nitrogen oxide, dinitrogen tetraoxide, oxygen, platinum, silver chloride, thiocarbonyl azide thiocyanate, sulfinyl chloride, thiotriazyl chloride, tetramethylammonium amide, tellurium tetrachloride, tellurium tetrabromide, silver (I) oxide, dichlorine oxide, silver nitrate, ethylene oxide, acetaldehyde, acrolein, boron, boron triiodide, bromine, bromine pentafluoride, fluorine, chloric acid, chlorine monoxide, chlorine trifluoride, chlorites, chlorosilane, chromic anhydride, ethylene dichloride, hydrogen bromide, hypochlorous acid, nitrogen peroxide, fluorine, some heavy metals (gold, silver, mercury), hexachloromelamine, hydrazine, alkali metals, nitrogen trifluoride, oxygen difluoride, phosphorous trioxide, potassium and arsine, potassium and phosphine, potassium and sodium nitrite, potassium ferricyanide, potassium mercuricyanide, sodium and carbon monoxide, stibine, sulfur, sulfur dichloride, tellurium hypopentachloride, trichloromelamine, Organic acids, amides, organic anhydrides, isocyanates, vinyl acetate, epichlorhydrin,

10. STABILITY AND REACTIVITY

aldehydes, Acrylic acid, chlorosulfonic acid, dimethyl sulfate, fluorine, gold + aqua regia, hydrochloric acid, hydrofluoric acid, hydrogen peroxide, iodine, nitric acid, oleum, propiolactone, propylene oxide, silver nitrate, silver oxide + ethyl alcohol, nitromethane, silver permanganate, sulfuric acid, gold, mercury, and halide salts. Forms explosive compounds with many heavy metals (silver, lead, zinc). Forms explosive compounds with many heavy metals such as silver, lead, zinc and their halide salts. It can form shock sensitive compounds with halogens, mercury oxide, and silver oxide.

Chemical stability

Stability: Stable at normal conditions
Possibility of Hazardous Reactions: Hazardous polymerization does not occur
Conditions to avoid: Incompatible materials.
Incompatible Materials: Oxidizing agents. Acids. Metals. Powdered metals.
Hazardous decomposition products: Ammonia gas may be liberated at high temperatures.. Nitrogen oxides (NOx).

Other Information

Corrosivity: Severe corrosive effect on Brass
Severe corrosive effect on Bronze
Special Remarks on Corrosivity: Dissolves copper and zinc.
Corrosive to aluminum and its alloys.
Corrosive to galvanized surfaces.
Severe corrosive effect on brass and bronze
Liquid Ammonia or Ammonium Hydroxide will attack some forms of plastics, rubber and coatings such as ABS, Acetal, Hytrel, Buna (Nitrile), Natural Rubber, LDPE, Nylon, Polycarbonate, Hypalon, and Viton.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Inhalation. Ingestion. Eyes.

Acute Toxicity

Component Information

Ammonium Hydroxide (CAS no. 1336-21-6)

[Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)] -

LD50/oral/rat = = 350 mg/kg Oral LD50 Rat
LD50/oral/mouse = No information available
LD50/dermal/rabbit = No information available
LD50/dermal/rat = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50 information = 2000 ppm 4 hours LC50 inhalation Rat (for Ammonia)
4230 ppm 1 hour LC50 inhalation Mouse (for Ammonia)

Product Information

LD50/oral/rat =
VALUE- Acute Tox Oral = 350mg/kg
LD50/oral/mouse =
Value - Acute Tox Oral = No information available
LD50/dermal/rabbit
VALUE-Acute Tox Dermal = No information available
LD50/dermal/rat
VALUE -Acute Tox Dermal = No information available
LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = 6666-1000ppm (4-hr)
VALUE-Dust/Mist = No information available
LC50/Inhalation/mouse
VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

11. TOXICOLOGICAL INFORMATION

Symptoms

Skin Contact: Severe skin irritation. Causes skin burns. May cause deep penetrating ulcers of the skin. Contact with skin may cause staining, inflammation, and thickening of the skin.

Eye Contact: Severe eye irritation. Causes eye burns. May cause irreversible eye damage. May cause corneal damage. May cause cataracts.

Inhalation Causes severe irritation of the respiratory tract and mucous membranes with coughing, burns, breathing difficulty, and possible coma. Irritation may lead to chemical pneumonitis, pneumoconiosis, fibrosis, and pulmonary edema. Can cause chemical burns to the respiratory tract and mucous membranes
 It is a respiratory stimulant when inhaled at lower concentrations. It may also affect behavior/central nervous system (convulsions, seizures, ataxia, tremor), cardiovascular system (increase in blood pressure and pulse rate).

Ingestion Harmful if swallowed. Causes gastrointestinal tract corrosion, burns, swelling of the lips, mouth, and larynx, throat constriction, nausea, vomiting, convulsions, shock and may cause severe and permanent damage to the digestive tract with perforation of the digestive tract. It may also affect the liver, and urinary system (kidneys), behavior/central nervous system (convulsions, seizures, ataxia, excitement).

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Ingestion: May cause effects similar to those of acute ingestion.
 Inhalation: Repeated exposure to low concentrations may cause bronchitis with cough, phlegm, and/or shortness of breath. May also cause liver and kidney damage, and affect the brain, and blood.
 Eye: May cause corneal damage and the development of cataracts and glaucoma.
 Skin: Repeated skin contact to low concentrations may cause dryness, itching, and redness (dermatitis)

Sensitization: No information available

Mutagenic Effects: May affect genetic material
 Mutations in microorganisms

Carcinogenic effects: Not considered carcinogenic

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure respiratory system.

STOT - repeated exposure No information available

Target Organs: Skin. Eyes. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.
Ammonium Hydroxide (CAS no. 1336-21-6)
[Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)] -

Freshwater Fish Species Data: 8.2 mg/L LC50 Pimephales promelas 96 h 1

Water Flea Data: 0.66 mg/L EC50 Daphnia pulex 48 h
 0.66 mg/L EC50 water flea 48 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	None	None	None	None

14. TRANSPORT INFORMATION

<p>DOT</p> <p>UN-No: UN2672 Proper Shipping Name: Ammonia solution Hazard Class: 8 Subsidiary Risk: Not applicable Packing Group: III Marine Pollutant: No data available ERG No: 154 DOT RQ (lbs): No information available</p> <p>Symbol(s): R3</p> <p>TDG (Canada)</p> <p>UN-No: UN2672 Proper Shipping Name: Ammonia solution Hazard Class: 8 Subsidiary Risk: No information available Packing Group: III Description: No information available</p> <p>IMO / IMDG</p> <p>UN-No: UN2672 Proper Shipping Name: Ammonia solution Hazard Class: 8 Subsidiary Risk: No information available Packing Group: III Description: No information available IMDG Page: No information available Marine Pollutant: No information available EMS: F-A MFAG: No information available Maximum Quantity: No information available</p>	<p>RID</p> <p>UN-No: UN2672 Proper Shipping Name: Ammonia solution Hazard Class: 8 Subsidiary Risk: 8 Packing Group: III Classification Code: No information available Description: No information available</p> <p>ICAO</p> <p>UN-No: UN2672 Proper Shipping Name: Ammonia solution Hazard Class: 8 Subsidiary Risk: No information available Packing Group: III Description: No information available</p> <p>IATA</p> <p>UN-No: UN2672 Proper Shipping Name: Ammonia solution Hazard Class: 8 Subsidiary Risk: No information available Packing Group: III ERG Code: 8L Description: No information available</p> <p>ADR</p> <p>UN-No: UN2672 Proper Shipping Name: Ammonia solution Hazard Class: 8 Packing Group: III Subsidiary Risk: No information available Classification Code: No information available Description: No information available CEFIC Tremcard No: No information available</p>
--	---

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	Present	Present KE-01688	Present	Present (1)-314	Present [27662]	Present	Present 215-647-6

U.S. Regulations

Ammonium Hydroxide (CAS no. 1336-21-6)
 [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]

- Massachusetts RTK: Present
- New Jersey RTK Hazardous Substance List: Present (sn 0103)
- New Jersey - Discharge Prevention - List of Hazardous Substances: Present
- New Jersey TCPA - EHS: =19000lbTQ
- Pennsylvania RTK: Environmental hazard
- Pennsylvania RTK - Environmental Hazard List: Present
- Pennsylvania RTK - Special Hazardous Substances: Present

15. REGULATORY INFORMATION

New York Release Reporting - List of Hazardous Substances:
 1000 lb RQ (air); 100 lb RQ (land/water)
Louisiana Reportable Quantity List for Pollutants: Listed
California Directors List of Hazardous Substances: Present
FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1139

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.
Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
<i>Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]</i>	1000 lb final RQ; 454 kg final RQ	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
<i>Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]</i>	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

E Corrosive material

Ammonium Hydroxide (CAS no. 1336-21-6)

[Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]

E

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	1 %

Inventory

Components	Canada (DSL)	Canada (NDSL)
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	Not listed	Not listed

15. REGULATORY INFORMATION

EU Classification

R-phrase(s)

R34 - Causes burns.

R50 - Very toxic to aquatic organisms.

S-phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

S 1/2 - Keep locked up and out of the reach of children.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	Classification	Concentration Limits:	Safety Phrases
Ammonium Hydroxide (CAS no. 1336-21-6) [Consists of 20-31% Ammonia (CAS no. 7664-41-7) in 69-73% Water (CAS no. 7732-18-5)]	C; R34 N; R50	25%≤C: C,N; R34-50 10%≤C<25%: C; R34 5%≤C<10%: Xi; R36/37/38	S1/2 S26 S36/37/39 S45 S61

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

C - Corrosive.



16. OTHER INFORMATION

NFPA	HMIS	Personal Protective Equipment
------	------	-------------------------------



Health Hazard	3
Fire Hazard	0
Reactivity	0



Revision Date:

05/08/2015

Prepared by:

HazTech Systems, Inc.

This information is based on HazTech Systems, Inc.'s, current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product